Refine Search

Your wildcard search against 10000 terms has yielded the results below.

Your result set for the last L# is incomplete.

The probable cause is use of unlimited truncation. Revise your search strategy to use limited truncation.

Search Results -

Terms	Documents
L14 and ((call\$ with authori\$ with (cell\$ or phone or telephone)))	15

Database:	US Pre-Grant Publication Full-Text I US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins	Database	
Search:	L15	E E	Refine Search
	Recall Text	Clear	Interrupt

Search History

DATE: Tuesday, January 04, 2005 Printable Copy Create Case

Set Name side by side	Query	<u>Hit</u> <u>Çount</u>	Set Name result set
DB=	USPT; THES=ASSIGNEE; PLUR=YES; OP=OR		
<u>L15</u>	L14 and ((call\$ with authori\$ with (cell\$ or phone or telephone)))	15	<u>L15</u>
<u>L14</u>	L13 or 6157722.pn. or 5790674.pn. or 5671285.pn. or 5629981.pn. or 5317636.pn.	15	<u>L14</u>
<u>L13</u>	6766161.pn. or 6714919.pn. or 6684333.pn. or 6678666.pn. or 6539101.pn. or 6529725.pn. or 6508710.pn. or 6466780.pn. or 6397194.pn. or 6307956.pn.	10	<u>L13</u>
<u>L12</u>	L11 and ((call\$ with authori\$ with (cell\$ or phone or telephone)))	15	<u>L12</u>
<u>L11</u>	L10 and (charg\$ with (terminal or system or apparatus or device))	15	<u>L11</u>
<u>L10</u>	L9 not 14	18	<u>L10</u>
<u>L9</u>	L8 not 13	18	<u>L9</u>
<u>L8</u>	L7 and (15 or 12) Best Available Cop	V 21	<u>L8</u>


<u>L7</u>	(charg\$ with card\$) and ((call\$ with authori\$ with (cell\$ or phone or telephone))) and @ad<=20020125	241	<u>L7</u>
<u>L6</u>	L5 and 11	0	<u>L6</u>
<u>L5</u>	713/201,182,187,200.ccls.	2732	<u>L5</u>
<u>L4</u>	6282656.pn.	1	<u>L4</u>
<u>L3</u>	L2 and 11	3	<u>L3</u>
<u>L2</u>	705/64,72,75-78,67, 35,44,39.ccls.	1228	<u>L2</u>
<u>L1</u>	((charg\$ with card\$) same (call\$ with authori\$ with (phone or telephone))) and @ad<=20020125	42	<u>L1</u>

END OF SEARCH HISTORY

Your wildcard search against 10000 terms has yielded the results below.

Your result set for the last L# is incomplete.

The probable cause is use of unlimited truncation. Revise your search strategy to use limited truncation.



Search Results - Record(s) 1 through 10 of 15 returned.

☐ 1. Document ID: US 676 161 B2

L12: Entry 1 of 15

File: USPT

Jul 20, 2004

US-PAT-NO: 6766161

DOCUMENT-IDENTIFIER: US 6766161 B2

TITLE: Method and apparatus for securing communications

Full Title Citation Front Review Classification Date Reference Section Claims KWIC Draw De Company Com

US-PAT-NO: 6714919

DOCUMENT-IDENTIFIER: US 6714919 B1

** See image for <u>Certificate of Correction</u> **

TITLE: Device for selectively blocking remote purchase requests

Full Title Citation Front Review Classification Date Reference Claims Claims KWC Draw De 3. Document ID: US 6684373 B1
L12: Entry 3 of 15 File: USPT Jan 27, 2004

US-PAT-NO: 6684333

DOCUMENT-IDENTIFIER: US 6684333 B1

TITLE: Parallel data network billing and collection system

Full Title Citation Front Review Classification Date Reference State | Claims | Claims | KWIC | Draw December | Claims | Claims | KWIC | Draw December | Claims | Claims | KWIC | Draw December | Claims | Claims | KWIC | Draw December | Claims | Claims | KWIC | Draw December | Claims | Claims | Claims | KWIC | Draw December | Claims | Claims | Claims | KWIC | Draw December | Claims | Cla

First Hit Fwd Refs

Previous Doc Next Doc Go to Doc#

Generate Collection Print

L10: Entry 5 of 18

File: USPT

Mar 25, 2003

DOCUMENT-IDENTIFIER: US 6539101 B1

** See image for Certificate of Correction **

TITLE: Method for identity verification

Application Filing Date (1):

20000324

Brief Summary Text (7):

Credit cards were originally introduced to for use at POS terminals to replace charge-a-plates. Plastic_charge cards, debit cards, ATM cards, stored value cards are fair game for thieves. It is not uncommon for people to carry more than eight cards in their wallets. The cards must be replaced every few years, and the cards may become damaged with frequent usage. In addition, consumer fraud and card counterfeiting are on the rise. The cards can be easily lost or stolen, signatures can be easily forged and PIN's can be readily determined by others. Hence, while plastic cards are easier to carry than money, they are almost as negotiable as money to sophisticated criminals.

Detailed Description Text (81):

The optical sensors can also be positioned relative to any of the digital keys on the keyboard and confirm Identification. A smaller pool of users is needed since only one print is read. However, keyboard sensors can be useful in instances where the caller's phone number is read and there are only a limited number of people authorized from that number as with a modem. Also, keyboard sensors can be used in combination with PIN's to provide increased security.

Field of Search Class/SubClass (5): 705/67

> Previous Doc Next Doc Go to Doc#

Clear Generate Collection Print Fwd Refs Bkwd Refs
Generate OAGS

Search Results - Record(s) 1 through 10 of 18 returned.

☐ 1. Document ID: US 6766161 B2

L10: Entry 1 of 18

File: USPT

Jul 20, 2004

US-PAT-NO: 6766161

DOCUMENT-IDENTIFIER: US 6766161 B2

TITLE: Method and apparatus for securing communications

Full Title Citation Front Review Classification Date Reference Section 2000 Claims KMC Draw. Co

☐ 2. Document ID: US 6714919 B1

L10: Entry 2 of 18

File: USPT

Mar 30, 2004

US-PAT-NO: 6714919

DOCUMENT-IDENTIFIER: US 6714919 B1

** See image for Certificate of Correction **

TITLE: Device for selectively blocking remote purchase requests

☐ 3. Document ID: US 6684333 B1

L10: Entry 3 of 18

File: USPT

Jan 27, 2004

US-PAT-NO: 6684333

DOCUMENT-IDENTIFIER: US 6684333 B1

TITLE: Parallel data network billing and collection system

Full Title Citation Front Review Classification Date Reference **232753330533 Extractly Claims** KWIC Draw. De

☐ 4. Document ID: US 6678666 B1

L10: Entry 4 of 18

File: USPT


Jan 13, 2004

US-PAT-NO: 6678666

DOCUMENT-IDENTIFIER: US 6678666 B1

Record List Display Page 2 of 3

TITLE: Method of conducting anti-fraud electronic bank security transactions having price-date-time variables and calculating apparatus thereof



□ 8. Document ID: US 6466780 B1 L10: Entry 8 of 18

0: Entry 8 of 18 File: USPT

A


Oct 15, 2002

US-PAT-NO: 6466780

DOCUMENT-IDENTIFIER: US 6466780 B1

TITLE: Method and apparatus for securing digital communications

Page 3 of 3 Record List Display



Display Format: TI Change Format

Previous Page Next Page Go to Doc#

Clear Generate Collection Print Fwd Refs Bkwd Refs
Generate OACS

Search Results - Record(s) 11 through 18 of 18 returned.

☐ 11. Document ID: US 6157722 A

L10: Entry 11 of 18

File: USPT

Dec 5, 2000

US-PAT-NO: 6157722

DOCUMENT-IDENTIFIER: US 6157722 A

TITLE: Encryption key management system and method

Full Title Citation Front Review Classification Date Reference Communication Claims kWC Draw Communication Commun

US-PAT-NO: 6012144

DOCUMENT-IDENTIFIER: US 6012144 A

TITLE: Transaction security method and apparatus

Full Title Citation Front Review Classification Date Reference Section Section Claims KWC Draw Co.

13. Document ID: US 5978459 A
L10: Entry 13 of 18

File: USPT

Nov 2, 1999

US-PAT-NO: 5978459

DOCUMENT-IDENTIFIER: US 5978459 A

TITLE: Encryption of telephone calling card codes


Full Title Citation Front Review Classification Date Reference REALIBRACE Claims KWIC Draw Co

US-PAT-NO: 5790674

DOCUMENT-IDENTIFIER: US 5790674 A

TITLE: System and method of providing system integrity and positive audit


capabilities to a positive identification system



US-PAT-NO: 5671285

DOCUMENT-IDENTIFIER: US 5671285 A


TITLE: Secure communication system



US-PAT-NO: 5629981

DOCUMENT-IDENTIFIER: US 5629981 A


TITLE: Information management and security system



US-PAT-NO: 5317636

DOCUMENT-IDENTIFIER: US 5317636 A


TITLE: Method and apparatus for securing credit card transactions



US-PAT-NO: 5311594

DOCUMENT-IDENTIFIER: US 5311594 A

TITLE: Fraud protection for card transactions



Clear	Generate Collection	Print	Fwd Refs	Bkwd Refs	Generate OACS.
	Геrms		Documents		
Ī	_9 not L4				18

Display Format: TI Change Format

Previous Page Next Page Go to Doc#

First Hit Fwd Refs

Previous Doc Next Doc Go to Doc#

End of Result Set

Generate Collection Print

L4: Entry 1 of 1

File: USPT

Aug 28, 2001

US-PAT-NO: 6282656

DOCUMENT-IDENTIFIER: US 6282656 B1

TITLE: Electronic transaction systems and methods therefor

DATE-ISSUED: August 28, 2001

INT-CL: [07] $\underline{H04}$ \underline{N} $\underline{1/413}$

US-CL-ISSUED: 713/201; 713/182, 713/187, 713/200 US-CL-CURRENT: 713/201; 713/182, 713/187, 713/200

FIELD-OF-SEARCH: 713/182, 713/187, 713/200, 713/201, 713/202

Previous Doc Next Doc Go to Doc#

Your wildcard search against 10000 terms has yielded the results below.

or come appeals and the department of the content o

Your result set for the last L# is incomplete.

The probable cause is use of unlimited truncation. Revise your search strategy to use limited truncation.

Clear Generate Collection Print Fwd Refs Bkwd Refs
Generate OACS

Search Results - Record(s) 1 through 10 of 15 returned.

☐ 1. Document ID: US 6766161 B2

L12: Entry 1 of 15

and the state of t

File: USPT

Jul 20, 2004

US-PAT-NO: 6766161

DOCUMENT-IDENTIFIER: US 6766161 B2

TITLE: Method and apparatus for securing communications

Full | Title | Citation | Front | Review | Classification | Date | Reference | Section | Section | Claims | KWC | Draw. D.

☐ 2. Document ID: US 6714919 B1

L12: Entry 2 of 15

File: USPT

Mar 30, 2004

US-PAT-NO: 6714919

DOCUMENT-IDENTIFIER: US 6714919 B1

** See image for Certificate of Correction **

TITLE: Device for selectively blocking remote purchase requests

Full | Title | Citation | Front | Review | Classification | Date | Reference | September | Stinctification | Claims | KMC | Draw, Do

☐ 3. Document ID: US 6684333 B1

L12: Entry 3 of 15

File: USPT

Jan 27, 2004

US-PAT-NO: 6684333

DOCUMENT-IDENTIFIER: US 6684333 B1

TITLE: Parallel data network billing and collection system

Full Title Citation Front Review Classification Date Reference Supplication State Reference Supplication State Reference

☐ 4. Document ID: US 6678666 B1

L12: Entry 4 of 15

File: USPT

Jan 13, 2004

US-PAT-NO: 6678666

ر.. ہے۔

DOCUMENT-IDENTIFIER: US 6678666 B1

TITLE: Method of conducting anti-fraud electronic bank security transactions having price-date-time variables and calculating apparatus thereof

Full Title Citation Front Review Classification Date Reference Services Standard Claims KMC Draw Control of Standard C

US-PAT-NO: 6539101

DOCUMENT-IDENTIFIER: US 6539101 B1

** See image for Certificate of Correction **

TITLE: Method for identity verification


Full Title Citation Front Review Classification Date Reference Reference Reduction Claims KWC Draw De Communication Description Descriptio

US-PAT-NO: 6529725

DOCUMENT-IDENTIFIER: US 6529725 B1

** See image for <u>Certificate of Correction</u> **


TITLE: Transaction security apparatus and method



US-PAT-NO: 6508710

DOCUMENT-IDENTIFIER: US 6508710 B1

TITLE: Gaming system with location verification



US-PAT-NO: 6466780

DOCUMENT-IDENTIFIER: US 6466780 B1

TITLE: Method and apparatus for securing digital communications

Full Title Citation Front Review Clas	sification Date Reference	Studdenessa Claims KWC Draw Des
☐ 9. Document ID: US 639719	94 Bl File: USPT	May 28, 2002
US-PAT-NO: 6397194 DOCUMENT-IDENTIFIER: US 6397194	B1	
TITLE: Receipt scanning system a	nd method	
Full Title Citation Front Review Clas	ssification Date Reference	Statements Claims KWIC Draw. Do
☐ 10. Document ID: US 6307 L12: Entry 10 of 15	956 B1 File: USPT	Oct 23, 2001
US-PAT-NO: 6307956 DOCUMENT-IDENTIFIER: US 6307956	B1	
TITLE: Writing implement for ide	entity verification system	
Full Title Citation Front Review Clas	ssification Date Reference September	Stackmergs Claims KWC Drava De
Clear Generate Collection	Print Fwd Refs Bkw	diRefs Generate OACS
Terms L11 and ((call\$ with authoris	\$ with (cell\$ or phone or telepho	Documents ne))) 15
<u>Display Fo</u>	ormat: TI Change Forma	it.

http://westbrs:9000/bin/gate.exe?f=TOC&state=elhb6a.42&ref=12&dbname=USPT&ESNAM... 1/4/05

Previous Page Next Page Go to Doc#

and the second

US-PAT-NO: 6678666

DOCUMENT-IDENTIFIER: US 6678666 B1

TITLE: Method of conducting anti-fraud electronic bank security transactions having price-date-time variables and calculating apparatus thereof


Full Title Citation Front Review Classification Date Reference Substitutes Stitutes Stitutes

US-PAT-NO: 6539101

DOCUMENT-IDENTIFIER: US 6539101 B1

** See image for <u>Certificate of Correction</u> **

TITLE: Method for identity verification




US-PAT-NO: 6529725

DOCUMENT-IDENTIFIER: US 6529725 B1

** See image for Certificate of Correction **


TITLE: Transaction security apparatus and method



US-PAT-NO: 6508710

DOCUMENT-IDENTIFIER: US 6508710 B1

TITLE: Gaming system with location verification




US-PAT-NO: 6466780

DOCUMENT-IDENTIFIER: US 6466780 B1

Record List Display Page 3 of 3


TITLE: Method and apparatus for securing digital communications



US-PAT-NO: 6397194

DOCUMENT-IDENTIFIER: US 6397194 B1


TITLE: Receipt scanning system and method



US-PAT-NO: 6307956

DOCUMENT-IDENTIFIER: US 6307956 B1

TITLE: Writing implement for identity verification system




Display Format: TI Change Format

Previous Page Next Page Go to Doc#

Your wildcard search against 10000 terms has yielded the results below.

Your result set for the last L# is incomplete.


The probable cause is use of unlimited truncation. Revise your search strategy to use limited truncation.



US-PAT-NO: 6157722

DOCUMENT-IDENTIFIER: US 6157722 A

TITLE: Encryption key management system and method



US-PAT-NO: 5790674

DOCUMENT-IDENTIFIER: US 5790674 A


TITLE: System and method of providing system integrity and positive audit capabilities to a positive identification system

- "		· · · · · · ·)						· V
Full	Title	Citation	Front	Review	Classification	Date	Reference		Claims	KWIC	Draw, 0
	***************************************					***************************************		 ·····			
П	13	Docum	ent ID	. 119 5	67/1285 A						
					0 /1 265 A						
L12	: En	try 13	of 15	,	/	File	e: USPT	:	Sep 23	, 19	97
				(· _ ^						

US-PAT-NO: 5671285

DOCUMENT-IDENTIFIER: US 5671285 A

TITLE: Secure communication system




Record List Display Page 2 of 2

US-PAT-NO: 5629981

DOCUMENT-IDENTIFIER: US 5629981 A


TITLE: Information management and security system



US-PAT-NO: 5317636

DOCUMENT-IDENTIFIER: US 5317636 A

TITLE: Method and apparatus for securing credit card transactions



Display Format: TI Change Format

Previous Page Next Page Go to Doc#

Mar 4, 2003

First Hit Fwd Refs

Previous Doc Next Doc Go to Doc#

Generate Collection Print

File: USPT

DOCUMENT-IDENTIFIER: US 6529725 B1

** See image for <u>Certificate of Correction</u> **
TITLE: Transaction security apparatus and method

Brief Summary Text (50):

L15: Entry 6 of 15

In another alternate embodiment, the apparatus and method of the present invention may also be utilized so as to provide <u>authorization</u>, notification and/or security for, and in conjunction with, <u>cellular</u> and/or mobile <u>telephones</u> and/or communication systems wherein a <u>cellular</u> or mobile <u>telephone</u> owner and/or account holder can be notified of a transmission and/or an attempted transmission and/or <u>telephone</u> call made with his or her <u>cellular</u> or mobile <u>telephone</u> and/or with the <u>telephone</u> number and/or account information, which information may include, but not be limited to, transmission codes and/or associated signatures and/or data which corresponds to his or her <u>cellular</u> or mobile <u>telephone</u>.

Brief Summary Text (70):

It is still another object of the present invention to provide an apparatus and a method for providing authorization, notification and/or security in financial transactions and/or in wireless communication transactions, wherein the respective cardholder, account owner or <u>cellular telephone</u> owner may increase or decrease the respective account credit limits, account activity, funds available, <u>calling</u> areas and/or usage limits at any time and/or from any location.

Detailed Description Text (82):

The present invention, in an alternate embodiment, may also be utilized so as to provide <u>authorization</u>, notification and/or security for, and in conjunction with, <u>cellular</u> and/or mobile <u>telephone</u> and/or communication systems wherein a <u>cellular</u> or mobile <u>telephone</u> owner and/or account owner may be notified of a transmission and/or an attempted transmission and/or <u>telephone</u> call made with his or her <u>cellular</u> or mobile <u>telephone</u> and/or with the <u>telephone</u> number and or transmission codes and/or associated signatures and/or data which corresponds to his or her <u>cellular</u> or mobile telephone.

<u>Detailed Description Text</u> (109):

If, at step 242, the cellular telephone owner did respond in time, the central processing computer 203 will process the reply or response data and/or information, at step 248. The central processing computer 203 will then determine, at step 249, if the cellular telephone call is authorized by the cellular telephone owner. If, at step 249, the cellular telephone call is unauthorized, the central processing computer will, at step 250, increment the unauthorized transaction count (UNAUTHCT) by one (1). The central processing computer 203 will then, at step 251, terminate the telephone call immediately. Upon the completion of step 251, the central processing computer 203 will then, at step 252, cancel and/or de-activate the cellular telephone. Thereafter, the central processing computer 203 will, at step 253, notify the cellular telephone owner that the cellular telephone has been cancelled and/or de-activated. Upon completion of step 253, the apparatus will cease operation at step 254.

<u>Detailed Description Text</u> (110):

If, at step 249, the central processing computer 203 identifies the cardholder

reply or response as being one to <u>authorize the cellular telephone call</u>, the central processing computer 203 will, at step 255, reset the unauthorized transaction count (UNAUTHCT) to zero (0). An unauthorized transaction count (UNAUTHCT) of 0 will signify that any string of unauthorized transactions has now been broken by the cellular telephone owner. The central processing computer 203 will then, at step 256, allow the cellular telephone call to continue uninterrupted. Upon the completion of the cellular telephone call, at step 256, the apparatus 200 will cease operation at step 257:

Detailed Description Text (111):

In instances when the <u>cellular telephone</u> owner is a party to the <u>cellular telephone call</u> and/or transaction, he or she, having the communication device 204 on his or her person, may <u>authorize the call</u> and/or transaction at his or her present location. If the <u>cellular telephone</u> owner has lent out the <u>cellular telephone</u>, he or she may <u>authorize the cellular telephone</u> call and/or transaction from his or her remote location. The <u>cellular telephone</u> owner may also program and/or set the communication device 204 to automatically <u>authorize</u> or disapprove or disallow <u>cellular telephone calls</u> and/or transactions with said selective <u>authorizations</u> being made as to time of day, <u>calling</u> areas, numbers <u>called</u>, and/or <u>call</u> and/or transaction duration. In this regard, the communication device 204 may be programmable so as to receive and analyze the cellular telephone call information and/or data and reply or respond to same automatically and/or with preset or programmed replies and/or responses. The communication device 204 may also be programmable so as to limit the number of cellular telephone calls made from the cellular telephone and/or with the cellular telephone number.

Detailed Description Text (154):

In the cases of <u>cellular telephones</u> and/or <u>cellular</u> communications devices, the <u>cellular telephone</u> owner and/or <u>cellular</u> communication device owner may program the apparatus and, in particular, the central processing computer, and/or the server computer, if utilized, so as to limit the <u>phone</u> numbers which may be <u>called</u>, and/or the numbers from which incoming <u>calls</u> may be accepted and/or received, the geographical areas and/or locations which may be <u>called</u> and/or accessed or from which <u>calls</u> may be received, the times of day, specific days, dates, times of month or year, during which the <u>cellular telephone</u> and/or <u>cellular</u> communication device may be utilized, specific <u>phone</u> numbers which may be <u>called</u>, specific time durations for a <u>phone call</u> and/or any <u>authorized</u> times for <u>cellular telephone</u> and/or <u>cellular communication</u> device usage (i.e. specific days, dates, times of day, times of month, year, etc.), and/or any other limitations and/or restrictions, regarding amount of transaction, parties involved, geographical area, and or times of allowed usage.

CLAIMS:

167. A transaction security apparatus, comprising: a memory device for storing a limitation regarding a use of a communication device on a wireless communication device account or a <u>cellular</u> communication device account, wherein the limitation contains information regarding at least one of phone numbers which may be called, numbers from which an incoming call may be accepted or received, at least one of times of day, specific days, dates, and times of month or year, during which a communication device may be utilized, authorized times of usage of a communication device on the account, amount of transaction, parties involved, and times of allowed usage, wherein the limitation is transmitted to a receiver from a communication device associated with an individual account holder, wherein the limitation is automatically received by the receiver, and further wherein the limitation is automatically stored in the memory device; a central processing device for processing information regarding a use of a communication device on the wireless communication device account or the cellular communication device account or an attempt to use a communication device on the wireless communication device account or the cellular communication device account, wherein the central

processing device utilizes the limitation automatically stored in the memory device in processing the information regarding a use of a communication device on the wireless communication device account or the cellular communication device account or an attempt to use a communication device on the wireless communication device account or the cellular communication device account, and further wherein the central processing device generates a signal containing information for allowing or disallowing the use of the communication device.

- 181. The apparatus of claim 167, wherein the central processing device utilizes a second limitation automatically received from the communication device from which the limitation is received and automatically stored in the memory device in processing information regarding the use of the communication device on the wireless communication device account or the attempt to use the communication device on the wireless communication device account or the cellular communication device account, wherein the second limitation contains information regarding at least one of a geographical area which may be called or accessed, geographical areas which may be called or accessed, a location which may be called or accessed, locations which may be called or accessed, a geographical area or areas from which calls may be received, a location or locations from which calls may be received, a specific phone number or specific phone numbers which may be called, a specific time duration or specific time durations for a phone call, and an authorized time or authorized times for communication device usage.
- 191. A transaction security method, comprising: receiving a limitation regarding a use of a communication device on a wireless communication device account or a cellular communication device account, wherein the limitation contains information regarding at least one of phone numbers which may be called, numbers from which an incoming call may be accepted or received, at least one of times of day, specific days, dates, and times of month or year, during which a communication device may be utilized, authorized times of usage of a communication device on the account, amount of transaction, parties involved, and times of allowed usage, wherein the limitation is transmitted to a receiver from a communication device associated with an individual account holder, and further wherein the limitation is automatically received by the receiver; storing the limitation in a memory device, wherein the limitation is automatically stored in the memory device; processing information regarding a use of a communication device on the wireless communication device account or the cellular communication device account or an attempt to use a communication device on the wireless communication device account or the cellular communication device account, and further wherein the information is processed by a central processing device, wherein the limitation automatically stored in the memory device is utilized in processing the information; and generating a signal containing information for allowing or disallowing the use of the communication device, wherein the signal is generated by the central processing device.
- 194. A transaction security apparatus, comprising: a memory device for storing a limitation regarding a use of a communication device on a wireless communication device account or a cellular communication device account, wherein the limitation contains information regarding at least one of phone numbers which may be called, numbers from which an incoming call may be accepted or received, at least one of times of day, specific days, dates, and times of month or year, during which a communication device may be utilized, authorized times of usage of a communication device on the account, amount of transaction, parties involved, and times of allowed usage, wherein the limitation is automatically received by a receiver, and further wherein the limitation is transmitted to the receiver from a communication device associated with an individual account holder, and further wherein the limitation is automatically stored in the memory device; a central processing device for processing information regarding a use of a communication device on a wireless communication device account or an attempt to use a communication device on a wireless communication device account

or a cellular communication device account, wherein the central processing device determines whether the limitation automatically stored in the memory device is met, and further wherein the central processing device generates a first signal containing information for allowing or disallowing the use of the communication device, and further wherein the central processing device generates a second signal containing information regarding the use of the communication device or the attempt to use the communication device; and a transmitter for transmitting the second signal to a second communication device, wherein the second communication device is associated with an individual account holder, wherein the second signal is transmitted to the second communication device in real-time, and further wherein the second communication device provides information to the individual account holder regarding the use of the communication device or the attempt to use the communication device, and further wherein the second communication device is at least one of a beeper, a pager, a telephone, a two-way pager, a reply pager, a home computer, a personal computer, a personal communication device, a personal communication services device, a television, an interactive television, a digital television, a personal digital assistant, a display telephone, a video telephone, a watch, a cellular telephone, a wireless telephone, a mobile telephone, a display cellular telephone, and a facsimile machine.

195. A transaction security method, comprising: storing a limitation regarding a use of a communication device on a wireless communication device account or a cellular communication device account in a memory device, wherein the limitation contains information regarding at least one of phone numbers which may be called, numbers from which an incoming call may be accepted or received, at least one of times of day, specific days, dates, and times of month or year, during which a communication device may be utilized, authorized times of usage of a communication device on the account, amount of transaction, parties involved, and times of allowed usage, wherein the limitation is automatically received by a receiver, wherein the limitation is transmitted to the receiver from a communication device associated with an individual account holder, and further wherein the limitation is automatically stored in the memory device; processing information regarding a use of a communication device on a wireless communication device account or a cellular communication device account or an attempt to use a communication device on a wireless communication device account or a cellular communication device account, wherein the information is processed by a central processing device; determining whether the limitation automatically stored in the memory device is met, wherein the central processing device determines whether the limitation is met; generating a first signal containing information for allowing or disallowing the use of the communication device, wherein the first signal is generated by the central processing device; generating a second signal containing information regarding the use of the communication device or the attempt to use the communication device, wherein the second signal is generated by the central processing device; and transmitting the second signal to a second communication device, wherein the second communication device is associated with an individual account holder, wherein the second signal is transmitted to the second communication device in real-time, and wherein the second communication device in real-time, and wherein the second communication device provides information to the individual account holder regarding the use of the communication device or the attempt to use the communication device, and further wherein the second communication device is at least one of a beeper, a pager, a telephone, a two-way pager, a reply pager, a home computer, a personal computer, a personal communication device, a personal communication services device, a television, an interactive television, a digital television, a personal digital assistant, a display telephone, a video telephone, a watch, a cellular telephone, a wireless telephone, a mobile telephone, a display cellular telephone, and a facsimile machine.

302. A transaction security apparatus, comprising: a memory device for storing a limitation regarding a use of a communication device on a wireless communication device account or a <u>cellular</u> communication device account, wherein the limitation

contains information regarding at least one of a phone number which may be called, a number from which an incoming call may be accepted or received, at least one of a time of day, a specific day, a date, and a time of a month or year, during which a communication device may be utilized, an authorized time of usage of a communication device on the account, an amount of a transaction, a party involved, and a time of an allowed usage, wherein the limitation is automatically received by a receiver, and further wherein the limitation is transmitted to the receiver from a communication device associated with an individual account holder, and further wherein the limitation is automatically stored in the memory device; a processing device for processing information regarding a use of a communication device on a wireless communication device account or a cellular communication device account or an attempt to use a communication device on a wireless communication device account or a cellular communication device account, wherein the processing device is capable of allowing or disallowing the use of the communication device, wherein the processing device determines whether the limitation automatically stored in the memory device is met, and further wherein the processing device generates a signal containing information regarding the use of the communication device or the attempt to use the communication device; and a transmitter for transmitting the signal to a second communication device, wherein the second communication device is associated with an individual account holder, wherein the signal is transmitted to the second communication device in real-time, and further wherein the second communication device provides information to the individual account holder regarding the use of the communication device or the attempt to use the communication device, and further wherein the second communication device is at least one of a beeper, a pager, a telephone, a two-way pager, a reply pager, a home computer, a personal computer, a personal communication device, a personal communication services device, a television, an interactive television, a digital television, a personal digital assistant, a display telephone, a video telephone, a watch, a cellular telephone, a wireless telephone, a mobile telephone, a display cellular telephone, and a facsimile machine.

322. A transaction security method, comprising: storing a limitation regarding a use of a communication device on a wireless communication device account or a cellular communication device account in a memory device, wherein the limitation contains information regarding at least one of a phone number which may be called, a number from which an incoming call may be accepted or received, at least one of a time of day, a specific day, a date, and a time of a month or year, during which a communication device may be utilized, an authorized time of usage of a communication device on the account, an amount of a transaction, a party involved, and a time of an allowed usage, wherein the limitation is automatically received by a receiver, wherein the limitation is transmitted to the receiver from a communication device associated with an individual account holder, and further wherein the limitation is automatically stored in the memory device; processing information regarding a use of a communication device on a wireless communication device account or a cellular communication device account or an attempt to use a communication device or a wireless communication device account or a cellular communication device account, wherein the information is processed by a processing device, wherein the processing device is capable of allowing or disallowing the use of the communication device; determining whether the limitation automatically stored in the memory device is met, wherein the processing device determines whether the limitation is met; generating a signal containing information regarding the use of the communication device or the attempt to use the communication device, wherein the signal is generated by the processing device; and transmitting the signal to a second communication device, wherein the second communication device is associated with an individual account holder, wherein the signal is transmitted to the second communication device in real-time, and wherein the second communication device provides information to the individual account holder regarding the use of the communication device or the attempt to use the communication device, and further wherein the second communication device is at least one of a beeper, a pager, a telephone, a two-way pager, a reply pager, a home computer, a personal

computer, a personal communication device, a personal communication services device, a television, an interactive television, a digital television, a personal digital assistant, a display telephone, a video telephone, a watch, a cellular telephone, a wireless telephone, a mobile telephone, a display cellular telephone, and a facsimile machine.

- 323. A transaction security apparatus, comprising: a memory device for storing a limitation regarding a use of a communication device on a wireless communication device account or a cellular communication device account, wherein the limitation contains information regarding at least one of a phone number which may be called, a number from which an incoming call may be accepted or received, at least one of a time of day, a specific day, a date, and a time of month or year, during which a communication device may be utilized, an authorized time of usage of a communication device on the account, an amount of transaction, a party involved, and a time of allowed usage, wherein the limitation is transmitted to a receiver from a communication device is associated with an individual account holder, wherein the limitation is automatically received by the receiver, and further wherein the limitation is automatically stored in the memory device; a processing device for processing information regarding a use of a communication device on the wireless communication device account or the cellular communication device account or an attempt to use a communication device on the wireless communication device account or the cellular communication device account, wherein the processing device utilizes the limitation automatically stored in the memory device in processing the information regarding a use of a communication device on the wireless communication device account or the cellular communication device account or an attempt to use a communication device on the wireless communication device account or the cellular communication device account, and further wherein the processing device generates a signal containing information for allowing or disallowing the use of the communication device.
- 337. The apparatus of claim 323, wherein the processing device utilizes a second limitation automatically received from the communication device from which the limitation is received and automatically stored in the memory device in processing information regarding the use of a communication device on the wireless communication device account or the cellular communication device account or the attempt to use a communication device on the wireless communication device account or the cellular communication device account, wherein the second limitation contains information regarding at least one of a geographical area which may be called or accessed, geographical areas which may be called or accessed, a location which may be called or accessed, a location which may be called or accessed, a geographical area or areas from which calls may be received, a location or locations from which calls may be received, a specific phone number or specific phone numbers which may be called, a specific time duration or specific time durations for a phone call, and an authorized time or authorized times for communication device usage.
- 340. A transaction security apparatus, comprising: a memory device for storing a limitation regarding a use of a communication device on a wireless communication device account or a cellular communication device account, wherein the limitation contains information regarding at least one of phone numbers which may be called, numbers from which an incoming call may be accepted or received, at least one of times a day, specific days, dates, and times of month or year, during which a communication device may be utilized, authorized times of usage of a communication device on the account, amount of transaction, parties involved, and times of allowed usage, wherein the limitation is automatically received by a receiver, and further wherein the limitation is transmitted to the receiver from a communication device associated with an individual account holder, and further wherein the limitation is automatically stored in the memory device; a processing device for processing information regarding a use of a communication device on a wireless communication device account or a cellular communication device account or an

attempt to use a communication device on a wireless communication device account or a cellular communication device account, wherein the processing device is capable of allowing or disallowing the use of the communication device, wherein the processing device determines whether the limitation automatically stored in the memory device is met, and further wherein the processing device generates a signal containing information regarding the use of the communication device or the attempt to use the communication device; and a transmitter for transmitting the signal to a second communication device, wherein the second communication device is associated with an individual account holder, wherein the signal is transmitted to the second communication device in real-time, and further wherein the second communication device provides information to the individual account holder regarding the use of the communication device or the attempt to use the communication device, and further wherein the second communication device is at least one of a beeper, a pager, a telephone, a two-way pager, a reply pager, a home computer, a personal computer, a personal communication device, a personal communication services device, a television, an interactive television, a digital television, a personal digital assistant, a display telephone, a video telephone, a watch, a cellular telephone, a wireless telephone, a mobile telephone, a display cellular telephone, and a facsimile machine.

Previous Doc Next Doc Go to Doc#